

COMMUTATEURS

COMMUTATEURS AUXILIAIRES



1



2



3



4



5



6

| Photo | Code LF | Code GEV | Code EGO | Positions | ø Tige (mm) | Intensité (A) |
|-------|---------|-----------|------------|-----------|---------------|---------------|
| 1 | 2111692 | 300200 | 4921015705 | 0-1 | 6x4.6 | 16 |
| 2 | 3057014 | 300080 | 4941015300 | 0-1 | 6x4.6 | 32 |
| 3 | 3057015 | 300002 | 4941015500 | 0-1 | 6x4.6 | 16 |
| 4 | 3057027 | LF3057027 | 4921015300 | 0-1 | 6x4.6 | 16 |
| 5 | 3057255 | LF3057255 | 4921015610 | 0-1 | 6x4.6 | 16 |
| 6 | 3057121 | 301109 | 4203400009 | 0-1 | 6x4.6 | 16 |

COMMUTATEURS MARCHE/ARRET



1



2

| Photo | Code LF | Code GEV | Code EGO | Positions | ø Tige (mm) | Intensité (A) |
|-------|---------|----------|------------|-----------|---------------|---------------|
| 1 | 3057073 | 300021 | 4942015000 | 0-1 0-1 | 6x4.6 | 16 |
| 2 | 3057094 | 300102 | 4342032000 | 0-1 0-1 | 6x4.6 | 32 |

COMMUTATEURS 4 POSITIONS



1




2



3

| Photo | Code LF | Code GEV | Code EGO | Positions | ø Tige (mm) | Intensité (A) |
|-------|---------|----------|------------|-----------|---------------|---------------|
| 1 | 2101527 | 300022 | 4924015000 | 0-1-2-3 | 6x4.6 | 16 |
| 2 | 3057087 | 300023 | 4924215000 | 0-1-2-3 | 6x4.6 | 16 |
| 3 | 3057001 | 300103 | 4324232000 | 0-1-2-3 | 6x4.6 | 32 |

COMMUTATEURS 7 POSITIONS



1



2



3




4

| Photo | Code LF | Code GEV | Code EGO | Positions | ø Tige (mm) | Intensité (A) |
|-------|---------|----------|--------------|---------------|---------------|---------------|
| 1 | 3057092 | 300004 | 4927215520 | 0-1-2-3-4-5-6 | 6x4.6 | 16 |
| 2 | 2101204 | 300025 | 49.27215.000 | 0-1-2-3-4-5-6 | 6x4.6 | 16 |
| 3 | 3057023 | 300106 | 4327232000 | 0-1-2-3-4-5-6 | 6x4.6 | 32 |
| 4 | 3057024 | S7002028 | 4927215746 | 0-1-2-3-4-5-6 | 6x4.6 | 16 |

DOSEURS D'ENERGIE

DOSEURS D'ENERGIE EGO



| Photo | Code LF | Code GEV | Code EGO | Tension (V) | Intensité (A) | Trous de fixation | ø Tige (mm) |
|-------|---------|-----------|------------|-------------|---------------|-------------------|---------------|
| 1 | 3350026 | 380018 | 5057021010 | 230 | 13 | M4 | 6x4.6 |
| 2 | 3350024 | 380019 | 5057071010 | 240 | 13 | M4 | 6x4.6 |
| 2 | 5076341 | 380009 | 5057020010 | 230 | 13 | M4 | 6x4.6 |
| 2 | 3350031 | 380013 | 5057031010 | 400 | 7 | M4 | 6x4.6 |
| 2 | 5085506 | 380028 | 5055031100 | 400 | 7 | M4 | 6x4.6 |
| 3 | 3350089 | LF3350089 | 5087071000 | 240 | 13 | M4 | 6x4.6 |
| 3 | 3350092 | S7001585 | 5087021000 | 230 | 13 | M4 | 6x4.6 |
| 3 | 3350093 | 381599 | 5085021000 | 230 | 13 | M4 | 6x4.6 |

DOSEUR D'ENERGIE UNIVERSEL



| Photo | Code LF | Code GEV | Tension (V) | Intensité (A) | ø raccord (mm) | ø Tige (mm) |
|-------|---------|----------|-------------|---------------|------------------|---------------|
| 1 | 3350065 | 38037 | 250 | 12 | 1/8"BSPP | 6x4.8 |

MANETTES POUR DOSEURS D'ENERGIE



| Photo | Code LF | Code GEV | Sérigraphie | ø Externe | ø Tige (mm) | Côté plat |
|-------|---------|----------|-------------|-----------|---------------|-----------|
| 1 | 2111711 | 110126 | --- | 50 | 6x4.6 | haut |
| 2 | 3241363 | 110253 | --- | 50 | 6x4.6 | haut |
| 3 | 2111848 | 110237 | 0-10 | 50 | 6x4.6 | haut |
| 4 | 3241566 | 110075 | 0-3 | 50 | 6x4.6 | haut |
| 5 | 3241564 | 110235 | 0-3 | 50 | 6x4.6 | haut |

MINUTERIES

MINUTERIES



1



2



3



4



5

| Photo | Code LF | Code GEV | Cycle de durée | ø Tige (mm) |
|-------|---------|-----------|----------------|---------------|
| 1 | 3446137 | 350032 | 15 min | 6x4.6 |
| 2 | 7101234 | 350187 | 60 min | 6x4.6 |
| 2 | 3446145 | 350186 | 120 min | 6x4.6 |
| 3 | 3446014 | 360164 | 15 min | 6x4.6 |
| 4 | 3446001 | LF3446001 | 120 min | 6x4.6 |
| 6 | 3446182 | LF3446182 | 120 min | 6x4.6 |

MINUTERIES REFRIGERATION



1




2

| Photo | Code LF | Code GEV | Cycle de durée | Cycle de dégivrage |
|-------|---------|----------|----------------|--------------------|
| 1 | 3322950 | 360193 | 2-60 min | 1 a 12 (24h) |
| 2 | 3446250 | 360058 | 1-56 min | 1 a 12 (24h) |

THERMOSTATS

THERMOSTATS DE REGULATION 3-PHASES EGO




| Photo | Code LF | Code GEV | Code EGO | Température °C | Long. capillaire | ∅ Bulbe mm | Presse-étoupe |
|-------|---------|----------|------------|----------------|------------------|------------|---------------|
| 1 | 2105403 | 375143 | 5534024060 | 32-110°C | 1480 mm | ∅ 6x138 mm | M9x1 |
| 2 | 3444166 | 375022 | 5534035080 | 95-180°C | 1800 mm | ∅ 6x135 mm | M9x1 |
| 3 | 3444745 | 375512 | 5534039020 | 95-185°C | 2420 mm | ∅ 6x133 mm | M9x1 |
| 4 | 3444234 | 375097 | 5534035090 | 100-195°C | 1780 mm | ∅ 6x134 mm | --- |
| 5 | 3444561 | 375038 | 5534055020 | 50-300°C | 1740 mm | ∅ 6x79 mm | --- |

THERMOSTATS DE REGULATION 1-PHASE EGO



| Photo | Code LF | Code GEV | Code EGO | Température °C | Long. capillaire | ∅ Bulbe mm | Presse-étoupe |
|-------|---------|----------|------------|----------------|------------------|------------|---------------|
| 1 | 3444758 | 375005 | 5513012010 | 30-85°C | 850 mm | ∅ 6x92 mm | --- |
| 2 | 3444698 | 375007 | 5513022010 | 30-110°C | 870 mm | ∅ 6x113 mm | M9x1 |
| 3 | 3444031 | 390052 | 5519639800 | 90-185°C | 2500 mm | ∅ 4x230 mm | --- |
| 4 | 3444376 | 375492 | 5513039300 | 95-190°C | 1010 mm | ∅ 6x100 mm | M10x1 |
| 5 | 3444361 | 375505 | 5513069500 | 50-320°C | 950 mm | ∅ 3x160 mm | --- |
| 6 | 3444586 | 375253 | 5519082805 | 85-455°C | 870 mm | ∅ 4x228 mm | --- |
| 6 | 3444305 | 375247 | 5519082802 | 75-500°C | 900 mm | ∅ 4x230 mm | --- |

THERMOSTATS DE SECURITE 3-PHASES EGO



| Photo | Code LF | Code GEV | Code EGO | Température °C | Long. capillaire | ∅ Bulbe mm | Presse-étoupe |
|-------|---------|----------|------------|----------------|------------------|------------|---------------|
| 1 | 3444375 | 375984 | 5532542835 | 225°C | 900 mm | ∅ 6x90 mm | M10x1 |
| 2 | 5057542 | 375393 | 5532545090 | 235°C | 1800 mm | ∅ 6x88 mm | M9x1 |
| 3 | 5004988 | 375392 | 5532574110 | 360°C | 1500 mm | ∅ 4x120 mm | --- |

THERMOSTATS RESISTANCES

THERMOSTATS DE REGULATION IMIT



| Photo | Code LF | Code GEV | Température °C | Longueur capillaire | ∅ Bulbe mm |
|-------|---------|----------|-------------------|---------------------|-------------|
| 1 | 3744227 | 390006 | 0-86°C | 1500 mm | ∅ 6.5x95 mm |
| 2 | 3444228 | 390014 | 40-78°C / 47-85°C | 1500 mm | ∅ 6.5x95 mm |
| 3 | 3444280 | 391057 | 0-90°C | 1500 mm | ∅ 6.5x95 mm |

PRESSE-ETOUPE POUR THERMOSTAT



| Photo | Code LF | Code GEV | Caractéristiques |
|-------|---------|----------|---------------------------------|
| 1 | 3444616 | 550148 | connexion bulbe M12 trou ∅ 6 mm |

MANETTES SERIGRAPHIEES PLAGE DE TEMPERATURE



| Photo | Code LF | Code GEV | ∅ Dimension (mm) | Axe pour tige ∅ (mm) | Côté plat | Sérigraphie |
|-------|---------|----------|------------------|----------------------|-----------|-------------|
| 1 | 3241319 | 110133 | 50 | 6 x 4.6 | haut | 30-85°C |
| 2 | 2101570 | 110119 | 50 | 6 x 4.6 | haut | 30-110°C |
| 3 | 3241827 | 110120 | 50 | 6 x 4.6 | haut | 100-180°C |
| 4 | 3241637 | 110121 | 50 | 6 x 4.6 | haut | 60-200°C |
| 5 | 2110628 | 110122 | 50 | 6 x 4.6 | haut | 50-250°C |
| 6 | 3444441 | 110123 | 50 | 6 x 4.6 | haut | 50-300°C |
| 7 | 3444187 | 111533 | 50 | 6 x 4.6 | haut | 50-500°C |

RESISTANCES RADIANTES EN CERAMIQUE



| Photo | Code LF | Code GEV | Puissance (W) | Tension (V) | Longueur (mm) | Largeur (mm) | Hauteur (mm) |
|-------|---------|----------|---------------|-------------|---------------|--------------|--------------|
| 1 | 3755831 | 415108 | 500 | 230 | 122 | 60 | 34 |
| 2 | 3755825 | 415101 | 250 | 230 | 245 | 60 | 35 |
| 2 | 3355826 | 415102 | 400 | 230 | 245 | 60 | 35 |
| 2 | 3310016 | 418402 | 500 | 230 | 245 | 60 | 35 |
| 2 | 3355829 | 415103 | 650 | 230 | 245 | 60 | 35 |
| 2 | 3755830 | 415104 | 1000 | 230 | 245 | 60 | 35 |